

## **Embeddable iCLASS Credentials**

## iCLASS Embeddable Card - 211

iCLASS cards can be ordered either with both SIO and iCLASS programming or iCLASS programming only.

Ensure each required option has been checked with the appropriate choice to fulfill a completed order form.

Base Model **IX** 211 Composite 40% Polyester / PVC\* iCLASS Memory Size and Allocation (select one option) O - 2k Bits (256 Bytes) with 2 Application Areas 3 - 32k Bits (4K Bytes) Application areas 16k/2+16k/1 Front Packaging Optional 4 - 32k Bits (4K Bytes) Application areas 16k/16+16k/1 Contact Smart Contact chip not Chip Module Programming (select one option) included (Front Only) ■ HP - Programmed with Security Identity Object (SIO) and standard iCLASS Access Control Application (Recommended)1 C - Configured, Non-Programmed iCLASS. Programming Information Not Required P - Programmed iCLASS. Specify Programming Information 3.370' (8.57 cm) SHARE Front Packaging (select one option) 0.033" **CARD** G - Plain White with Gloss Finish **EDGE** 0.084 cm) C - Custom Artwork/Contact Module with Gloss Finish -Specify Custom Artwork/Contact Module Number<sup>1</sup> **Back Packaging (select one option)** G - Plain White with Gloss Finish<sup>2</sup> Back Packaging C - Custom Artwork with Gloss Finish -Specify Custom Artwork Number<sup>1</sup> 2.125" 1 - Plain White with Gloss Finish with Magnetic Stripe<sup>2</sup> (5.4 cm) 3 - Custom Artwork with Gloss Finish with Magnetic Stripe -**Optional Magnetic Stripe** Specify Custom Artwork Number<sup>1</sup> (1/2" HICO/High Energy - 4000 Oe) Card Numbering<sup>3</sup> (select one option) HID iCLASS **12345 YYYYYYYYYYY** ■ N - No External Card Numbering A - Sequential Matching Internal/External (Engraved) 12345 = Card ID Number B - Sequential Internal/Sequential Non-Matching External (Laser Engraved) YYYYYYYYY = Sales Order Number C - Random Internal/Non-Matching Sequential External (Laser Engraved) Slot Punch⁴ ■ B - No Slot Punch. This card can be slotted horizontally, Printed Horizontal Slot Indicators H - Horizontal Slot Punch N - No Slot Punch (Printed location of vertical slot punch will remain) Option - Custom Artwork<sup>1</sup> (Specify Artwork Number - Refer to the Custom Artwork Forms for new Artwork) Enter your final card options from check boxes above. Example: 2111CGGNN **Final Part Number** 211 (Options #)



iCLASS Card Program	ming Information				
Format Number (e.g. H10301)	Field Name(s) e.g. Facility Code	Value	QTY	Encoded Start Number	Encoded Stop Number
Bit Numbers (e.g. 26 bit)				Printed Start Number	Printed Stop Number
PIN: Sequential: Start#_	Ran	dom: Length _			
Special Instructions:					

For Contact Smart Chip selection, contact your Regional Sales Representative. Standard configuration does not include a contact smart chip module.

<sup>&</sup>lt;sup>1</sup> For new artwork files, contact Customer Service for custom artwork number, lead times and cost.

<sup>&</sup>lt;sup>2</sup> Cards ordered with plain white front and back packaging, with no HID artwork or with custom artwork, will still have a small HID logo HID and reference number printed in the lower left-hand corner and a slot punch target printed on the back of the card.

<sup>&</sup>lt;sup>3</sup> The external card number is placed in the bottom right-hand corner on the back of the card.

<sup>&</sup>lt;sup>4</sup> Cards are provided with an optional vertical slot punch at no additional charge. Some video imaging printers cannot accommodate pre-slot punched cards.

<sup>\*</sup> The composite construction is recommended for all cards that will have an over-laminate applied. Consult with the printer manufacturer prior to ordering.