

Smart DuoProx® II Card - 1598

Ensure each required option has been checked with the appropriate choice to fulfill a completed order form.

| Base Model 1598 Composite 40% Polyester / PVC* | | | | | |
|--|----------------------------------|----------------|---|---|----------------------|
| Programming (select one option) L - Programmed, Low Frequency (125 kHz). Specify Programming Information. N - Non-Programmed, Low Frequency (125 kHz). Programming Information Not Required. | | | Reserved for Contact Smart Chip Module — (Embed on | Front Packa Contact chi | p not |
| Front Packaging (select of G - Plain White with Gloss C - Custom Artwork with Specify Custom Artwork | s Finish Gloss Finish – | | Front Only) | 3.370" | 1 |
| Back Packaging (select o G - Plain White PVC with C - Custom Artwork with Specify Custom Artwork | Gloss Finish – | (| 0.033" 0.084 cm) 4 | (8.57 cm | SHARED CARD EDGE |
| Card Numbering³ (select one option) N - No External Card Numbering A - Sequential Matching Internal/External (Engraved) B - Sequential Internal/Sequential Non-Matching External (Engraved) (5.4 cm) | | | | Back Packaging | |
| ☐ C - Random Internal/Non-Matching Sequential External (Engraved) Slot Punch⁴ (select one option) | | | | Magnetic Stripe (½" HICO/High Energy - 4000 Oe) HID 12345 YYYYYYYYYY | |
| N - No Slot Punch (Printed location of vertical slot punch will remain V - Vertical Slot Punch Option - Custom Artwork¹ (Specify Artwork Number - Refer to the | | | etom Artwork Fo | 12345 = Card ID Number YYYYYYYYYY = Sales Order Number | |
| Enter your final card ontic | ons from check boxes above | | | This for new Artwork) | |
| Final Part Number | 1598 | 5. Example: 10 | JULUGAN | | (Optional Artwork #) |
| 125 kHz Card Program | nming Information | | | | |
| Format Number (e.g. H10301) | Field Name(s) e.g. Facility Code | Value | QTY | Encoded Start Number | Encoded Stop Number |
| Bit Numbers (e.g. 26 bit) | | | | Printed Start Number | Printed Stop Number |
| Special Instructions: | | | | | |

For Contact Smart Chip selection, contact your Regional Sales Representative. Standard configuration does not include a contact smart chip module.



- ¹ For new artwork files, contact Customer Service for custom artwork number, lead times and cost.
- ² Cards ordered with plain white front and back packaging, with no HID artwork or with custom artwork, will still have a small HID logo HID and reference number printed in the lower left-hand corner and a slot punch target printed on the back of the card.
- ³ The external card number is placed in the bottom right-hand corner on the back of the card.
- ⁴ Cards are provided with an optional vertical slot punch at no additional charge. Some video imaging printers cannot accommodate pre-slot punched cards. Consult with the printer manufacturer prior to ordering.
- * The composite construction is recommended for all cards that will have an over-laminate applied.